

REMARKS

Entry of these amendments, prior to examination, is respectfully requested. The claims of the International application as published are amended herein, in accordance with amendments entered during the International phase. The claims are also amended in order to substitute "wherein" for "characterized in that," in accordance with U.S. practice, and also to reduce additional claims fees by eliminating multiple claim dependencies.

A marked-up version of the claims, which indicates all amendments made, is submitted herewith.

None of the amendments introduce new matter.

An early and favorable examination is earnestly solicited.

Respectfully submitted,



John C. Todaro
Reg. No. 36,036
Attorney for Applicants

Date: June 25, 2001

DARBY & DARBY P.C.
805 Third Avenue
New York, NY 10022
212-527-7700

09/869208
JC to Rec'd PCT/PTO 25 JUN 2001

EXPRESS MAIL CERTIFICATE

6/25/01 706743677Us
Date Label No.

I hereby certify that, on the date indicated this paper or fee was deposited with the U.S. Postal Service and that it was addressed for delivery to the Assistant Commissioner of Patents & Trademarks, Washington, DC 20231 by "Express Mail Post Office to Addressee" service.

Name (Print)

Signature

File No: 7238/OJ504USO

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Leendert KOENDERMAN

Serial No: TBA (U.S. National Phase of PCT/NL99/00806
filed 24 December 1999)

Filed: Concurrently Herewith

For: DETECTION OF PREACTIVATED PHAGOCYTES

MARK-UP OF PRELIMINARY AMENDMENT

Hon. Commissioner of
Patents and Trademarks
Washington, DC 20231
Attn.: Box PCT, RO/US

IN THE CLAIMS

Please amend the claims to read as follows:

1. (Amended) Antigen of a phagocyte, [characterized in that] wherein the antigen may be recognized by at least one bacteriophage as can be isolated from the strains having accession numbers CBS 101481 and 101482.
2. (Amended) Phagocyte-recognizing agent, [characterized in that] wherein the phagocyte-recognizing agent recognizes the agent that is recognized by at least one

09869208-101201

bacteriophage as can be isolated from the strains having accession numbers CBS 101481 and 101482.

3. (Amended) Phagocyte-recognizing agent according to claim 2, [characterized in that] wherein it possesses a group having a phagocyte-deactivating activity.

4. (Amended) Pharmaceutical composition comprising a phagocyte-recognizing agent capable of recognizing the antigen that is recognized by at least one bacteriophage as can be isolated from the strains having accession numbers CBS 101481 and 101482 together with a pharmaceutically acceptable excipient or carrier.

5. (Amended) Method of detecting a preactivated phagocyte, [characterized in that] wherein a phagocyte-recognizing agent capable of recognizing the antigen that is recognized by at least one bacteriophage as can be isolated from the strains having accession numbers CBS 101481 and 101482 is contacted with a phagocyte, and a complex formed between the phagocyte-recognizing agent and the phagocyte is detected.

6. (Amended) Method according to claim 5, [characterized in that] wherein the agent is capable of competing with at least one bacteriophage as can be isolated from the strains having accession numbers CBS 101481 and 101482, and a complex between the phagocyte-recognizing agent and the phagocyte is detected.

7. (Amended) Method according to claim 6, [characterized in that] wherein the agent is a bacteriophage.

8. (Amended) Method according to claim 6 [or 7], [characterized in that] wherein the agent is a fluorescent agent.

9. (Amended) Method according to claim 8, [characterized in that] wherein the agent comprises Green or Blue Fluorescent Protein.

10. (Amended) Method according to claim 8 [or 9], [characterized in that] wherein detection is performed by means of a Fluorescence-Activated Cell Sorter (FACS).

11. (Amended) Method according to [any of the claims 5 to 7] claim 5, [characterized in that] wherein the detection is performed by means of an ELISA.

12. (Amended) Method according to [any of the claims 5 tot 11] claim 5, [characterized in that] wherein the phagocyte is derived from a person of which it is thought that it suffers from an affection chosen from the group consisting of i) organ-bound inflammatory diseases; ii) septic shock; iii) allergies; and iv) autoimmune diseases; or of a person having undergone a transplantation.

13. (Amended) Method according to claim 12, [characterized in that] wherein for detection blood from a person is lysed using an isotonic, cold NH_4Cl -solution yielding a phagocyte-containing solution.